Optics & Laser Technology

Index to Volume 37 (2005)

No 1 (February) pp 1–86
No 2 (March) pp 87–172
No 3 (April) pp 173–258
No 4 (June) pp 259–344
No 5 (July) pp 345–426
No 6 (September) pp 427–512
No 7 (October) pp 513–590
No 8 (November) pp 591–652

Article Index

Number 1

Simple technique for alignment of a dispersive ring laser cavity
A. Kumar, J. Padma Nilaya and D.J. Biswas 1

Threshold characteristics of linear cavity Yb^{3+}-doped double-clad fiber laser
G. Hu, C. Shan, X. Deng, J. Zhang, Y. Pan and L. Wang 3

Limit analysis for laser removal of micron contaminant colloidal silicon dioxide particles from the super-smooth optical glass substrate by pulse Nd:YAG laser
M. Hua, X. Shi, E. Cheung and W. Yuan 9

Polarisation interferometry flying height testing
X. Liu, W. Clegg and B. Liu 21

Thermally tuned optical fiber for true time delay generation
B. Howley, Z. Shi, Y. Jiang and R.T. Chen 29

Optimization of Nd:YAG laser welding onto magnesium alloy via Taguchi analysis
L.K. Pan, C.C. Wang, Y.C. Hsiao and K.C. Ho 33

Measurement of surface figure of plane optical surfaces using Fizeau interferometer with wedge phase-shifter
S. Chatterjee 43

High-power diode-end-pumped CW Nd:$GdVO_4$ laser
J. Kong, D.Y. Tang, S.P. Ng, L.M. Zhao, L.J. Qin and X.L. Meng 51

Measurement for waveform and chirping of optical pulses generated by directly modulated DFB laser and external EA modulator
H. Yang, X.S. Liu, J. Du, W. Sun, D. Li, M. Yi and G. Du 55

Fast convergence and higher-order mode calculation of optical waveguides: perturbation method with finite difference algorithm
P. Roy Chaudhuri, A.K. Ghatak, B.P. Pal and C. Lu 61

Spatial chirp and angular dispersion of the nonlinear crystal for a femtosecond OPO
J. Ma, R. Zhang, C. Zhu, H. Zhao, W. Zhang, Z. Zhang and Q. Wang 69

Axial intensity distribution behind a Fresnel zone plate
Y. Zhang and C. Zheng 77

Spectral characteristics of cascade master/slave/slave injection-locking of laser diodes
I. Hirano and N. Ito 81

Number 2

Wavelength selection for the far-infrared p-Ge laser using etched silicon lamellar gratings
T.W. Du Bosq, R.E. Peale, E.W. Nelson, A.V. Muravjov, D.A. Walters, G. Subramanian, K.B. Sundaram and C.J. Fredricksen 87

Effect of polarization on femtosecond pulsed laser ablation of surface relief gratings using a novel interferometer
C.W. Hee, B.K.A. Ngoi, L.E.N. Lim, K. Venkatakrishnan and W.L. Liang 93

Thermal modelling of laser welding and related processes: a literature review
A.P. Mackwood and R.C. Crafer 99

Mathematical modeling of the intracavity Q-switched Nd-glass laser
B. Abdul Ghani, B. Abbas, M. Sheikh-Khalil and M. Hammadi 117

1.55-μm InGaAs/InGaAlAs MQW vertical-cavity surface-emitting lasers with InGaAlAs/InP distributed Bragg reflectors
J. Xia, B. Hoan O, S. Gol Lee and E. Hang Lee 125

Recognition of a light line pattern by Hu moments for 3-D reconstruction of a rotated object
J.A. Muñoz-Rodríguez, A. Asundi and R. Rodriguez-Vera 131

Feedback control for 2D free curve laser forming
J. Kim and S.J. Na 139

A two-dimensional self-aligning system driven by shape memory alloy actuators
Y. Li, M. Sasaki and K. Hane 147

The general theory for calibrating two arbitrarily oriented phase plates
N.N. Nagib 151

Characterization of laser-diode end-pumped intracavity frequency doubled, passively Q-switched and mode-locked Nd : YVO_4 laser
P.K. Mukhopadhyay, M.B. Alsous, K. Ranganathan, S.K. Sharma, P.K. Gupta, A. Kuruvilla and T.P.S. Nathan 157

Experimental study of high-power pulse side-pumped Nd:YAG laser
Z. Sun, R. Li, Y. Bi, C. Hu, Y. Kong, G. Wang, H. Zhang and Z. Xu 163

The study of chromatic dispersion and chromatic dispersion slope of WI- and WII-type triple-clad single-mode fibers
X. Zhang and X. Wang 167

Number 3

Propagation characteristics of the two-dimensional off-axial Hermite-cosh-Gaussian beams through rectangular apertured and misaligned optical systems
J. Gu, D. Zhao, H. Mao and Z. Mei 173

Group refractive index measurement by fringes of equal chromatic order
S.Y. El-Zaiat 181

Laser–diode-pumped passively Q-switched Nd^{3+}: $NaY(WO_4)_2$ laser with GaAs saturable absorber
S. Zhao, L. Chen, H. Zhao, G. Li, L. Zhang and K. Yang 187
Nonparaxial diffraction of vectorial plane waves at a small aperture
K. Duan and B. Lü 193
Lead-insensitive fiber optic pH sensor and performance under bending
B.G. Grossman, S. Boonsopa and M. Sokol 199
Identifying contributions of individual layers constituting multilayer dielectric mirrors
L. Lan, Y. Fang, X. Lin, J. Chen, D. Li and G. Feng 211
In situ device for salinity measurements (chloride detection) of ocean surface
B.G. Grossman, T. Yongphiphatwong and M. Sokol 217
Multi-channel light modulation based on the attenuation total reflection
Y. Yang, Z. Cao, Q. Shen, J. Hao, L. Qiu, Y. Shen, W. Yuan and P. Xiao 225
Real-time precision displacement measurement interferometer using the robust discrete time Kalman filter
T.-J. Park, H. Choi, C.-S. Han and Y.-W. Lee 229
Improving the sharpness of an image with non-uniform illumination
C.-C. Yang 235
Monolithic integration technology between microlens arrays and infrared charge coupled devices
C. Ke, X. Yi, Z. Xu and J. Lai 239
A new coumarin laser dye 3-(benzothiazol-2-yl)-7-hydroxycoumarin
S.A. Azim, S.M. Al-Hazmy, E.M. Ebeid and S.A. El-Daly 245
Four-operand parallel optical computing using shadow-casting technique
R.S. Fyath, S.A. Ali and M.S. Alam 251

Number 4

Preparation and optical constants of the nano-crystal and polymer composite $Bi_4Ti_3O_{12}$/PMMA thin films
H. Yang, Q. Ren, G. Zhang, Y.T. Chow, H.P. Chan and P.L. Chu 259
Matrix factorization of the mode converter
P. Wu, X. Song and B. Lü 265
Projection ablation of glass-based single and arrayed microstructures using excimer laser
Y.-T. Chen, K.-J. Ma, A.A. Tseng and P.H. Chen 271
Neural estimator to determine alpha parameter in terms of quantum-well number
F.V. Celebi and K. Danisman 281
Effects of powder concentration distribution on fabrication of thin-wall parts in coaxial laser cladding
J. Liu and L. Li 287
Experiment determination of after-operating gas compositions in a transverse-flow CW high power CO_2 laser
C. Cheng and Z. Xu 293
Focal shift in focused off-axial Hermite-cosh-Gaussian beams
Z. Mei, D. Zhao, J. Gu and H. Mao 299
Correction of the image distortion for laser galvanometric scanning system
J. Xie, S. Huang, Z. Duan, Y. Shi and S. Wen 305
Beam overlapping in a multipass Ti:sapphire amplifier based on a parabolic mirror
S. Yang 313
Two-fold interferometric measurements of piezo-optic constants: application to β-BaB_2O_4 crystals
A.S. Andrushchak, Ya.V. Bobitski, M.V. Kaidan, B.G. Mytsyk, A.V. Kityk and W. Schranz 319
High-power transverse flow CW CO_2 laser for material processing applications
A.K. Nath, T. Reghu, C.P. Paul, M.O. Ittoop and P. Bhargava 329
Parameter optimization and characteristic analysis of a polymer microring resonant wavelength multiplexer
X.-Y. Wang, C.-S. Ma, S.-L. E, X. Yan, Y.-Z. Xu, H.-M. Zhang, D.-M. Zhang, Z.-C. Cui and D.-G. Sun 337

Number 5

Designing the "perfect" projection screen
H.J. Caulfield 345
Processing of concretes with a high power CO_2 laser
B.T. Rao, H. Kumar and A.K. Nath 348
A novel high-peak power double AO Q-switches pulse Nd:YAG laser for drilling
Q. Li, Y. Zheng, Z. Wang and T. Zuo 357
Effect of the spectral half-width of the driving field on the bistability
M.M. El-Nicklawy, A.F. Hassan, S.M.M. Salman and A. Abdel-Aty 363
Sol–gel based anti-reflection coatings on wedged laser rods using a spin coater
R. Pareek, A.S. Joshi, P.D. Gupta, P.K. Biswas and S. Das 369
Deflectometer with synthetically generated reference circle for aspheric surface testing
Q. Hao, Q. Zhu and Y. Wang 375
Theoretical and experimental study of a laser-diode-pumped actively Q-switched Nd:YVO_4 laser with acousto-optic modulator
K. Yang, S. Zhao, G. Li and H. Zhao 381
Hybrid Brillouin/Erbium fibre laser in a linear cavity for multi-wavelength communication systems
M.H. Al-Mansoori, M.K. Abdullah, B.M. Ali and M.A. Mahdi 387
A novel long trace profiler for synchrotron radiation optics
Z. Li, Y. Zhao, D. Li, T. Xiao and S. Xia 391
Theoretical study of polymeric metal clad optical waveguide polarizer
D. Kumar, V.K. Sharma and K.N. Tripathi 397
Study of the buckling mechanism in laser tube forming
H.-S. Hsieh and J. Lin 402
Electro-optic measurement system with high spatial resolution utilizing poled polymer film as external probe tip
H. Liu, M. Yi, H. Zhang, A. Hou, X. Chuai and D. Zhang 410
Study on the absorption characteristics and birefringence of Ce-doped SBN
J. Lian, Q. Wang, A. Wei, Y. Wang, R. Zhang and X. Cheng 416
Determination of attenuation coefficients of single mode optical fiber standards to be used in OTDR calibrations
O. Çelikel, M. Küçükoğlu, M. Durak and F. Samadov 420

Number 6

Polymer-based waveguides with low propagation loss and polarization-dependent loss
J. Zhou, W.H. Wong, N.Q. Ngo, E.Y.B. Pun, Y.Q. Shen and X.X. Zhao 427
Influence of nonlinear absorption effects on optical bistability in semiconductor ring resonators
L. Wei, S. Song and Y.-N. Wang 432
Suppressing nonlinear dynamics induced by external optical feedback in vertical-cavity surface-emitting lasers
X.F. Li, W. Pan, B. Luo, D. Ma, N.H. Li and Y. Wang 438
Improving the resolution of a solid immersion lens optical system using a multiphase Fresnel zone plate
Y.-J. Zhang, C.-W. Zheng and H.-C. Xiao 444
The effect of superadditivity on ascorbic acid in the reversal bleached transmission hologram
C.W. Lim, D. Wook Choi and S.H. Sohn 449
Fiber Bragg grating distributed strain sensing: an adaptive simulated annealing algorithm approach
M. Li, N. Zeng, C.Z. Shi, M. Zhang and Y.B. Liao 454
A simple phase unwrapping approach based on filtering by windowed Fourier transform
K. Qian, S. Hock Soon and A. Asundi 458
Three-dimensional optical profilometry using a four-core optical fibre
K. Bulut and M.N. Inci 463

Propagation characteristics of TM Gaussian beam
G. Zhou, X. Chu and L. Zhao 470
Determination of third-order nonlinearity in ZnTe by use of femtosecond laser pulses
Q.-R. Xing, F.-L. Mao, L.-Y. Lang, Z. Wang, K. Wang, S.-X. Li, L. Chai and Q.-Y. Wang 475
Study on cross-section clad profile in coaxial single-pass cladding with a low-power laser
J. Liu and L. Li 478
Four-beamlets laser array and its propagation
Y. Cai and Q. Lin 483
Reaction laser sintering of Ni–Al powder alloys
Z. Guo, P. Shen, J. Hu and H. Wang 490
Polarisation characteristics of a 1×2 fibre coupler under femtosecond pulsed and continuous wave illumination
L. Fu, X. Gan, D. Bird and M. Gu 494
Enhanced applications of speaker-modulated helium–neon laser beam
M.I. Abu-Taha, A.A. Legrouz and A.H. Abutabeech 498
Optical data storage on protein using angular multiplexing
I. El Hafidi, R. Grzymala, R. Kiefer, L. Elouad and P. Meyrueis 503
Research Note
Thermally induced deformations measured by shearography
K. Habib 509

Number 7

Dispersion studies and electronic transitions in nickel phthalocyanine thin films
M.M. El-Nahass, A.M. Farag, K.F. Abd El-Rahman and A.A.A. Darwish 513
Compact diode-pumped Nd:YVO_4 intracavity-doubled red laser at 671 nm
L. Zhang, C. Li, D. Li, P. Li, Q. Zhang and Z. Zhang 524
Arrayed waveguide grating multiplexer with high thermal stability on silicon
F. Wang, C. Ma, W. Sun, A. Li, Yu. Zhao, Z. Jiang and D. Zhang 527
Detecting and avoiding the necking deformation along polypropylene fibre axis using the fringe pattern analysis of multiple-beam microinterferometry
A.A. Hamza, T.Z.N. Sokkar, K.A. EL-Farahaty, M.A.M. EL-Morsy and H.M. EL-Dessouky 532
Monte-Carlo analysis of centroid detected accuracy for wavefront sensor
Z. Jiang, S. Gong and Y. Dai 541
Spectral and emission characteristics of LED and its application to LED-based sun-photometry
Y.B. Acharya 547
Four-channel coarse WDM for inter- and intra-satellite optical communications
L. Gu, F. Zhao, Z. Shi, J. Liu and R.T. Chen 551
Experimental research on a novel fiber-optic cantilever-type inclinometer
Y. Zhao, J. Yang, B.-J. Peng and S.-Y. Yang 555
A 3 kW average power tunable TEA CO_2 laser
Y. Yu, C. Wan, Y. Lv, R. Tan, J. Zhou, S. Liu and C. Zhao 560
Characteristics of laser supersonic heating method for producing micro metallic particles
S.-L. Lin and J. Lin 563
Pulsed and cw Cr,Tm:YAG laser with simultaneous diode and flashlamp excitation
R. Müller, P. Fuhrberg, H.-O. Teichmann and W. Viöl 570
A generalized structure based on systemic principles of the characteristic variables of material laser processing
A. Han, D. Gubencu and G. Pillon 577
Digital shifting photoelasticity with optical enlarged unwrapping technology for local stress measurement
X.-F. Yao, L.-H. Jian, W. Xu, G.-C. Jin and H.-Y. Yeh 582
Erratum to "High-sensitivity piezoelectric tube sensor for shear-force detection in scanning near-field optical microscopy" [Optics & Laser Technology 36 (2004) 651–656]
K. Lindfors, M. Kapulainen, P. Ryytty and M. Kaivola 590

Number 8

Hybrid-integrated prism array optoelectronic targeting system
C.C. Chang, H.C. Chang, L.C. Tang, W.K. Young, J.C. Wang and K.L. Huang 591
2 W Yb-doped double-clad fiber superfluorescent source with 42 nm 3 dB bandwidth
L. Kong, Q. Lou, J. Zhou, D. Xue, J. Dong and Y. Wei 597
Study on actuating voltage and switching time of a MOEMS optical switch
D. Sun, W. Dong, W. Guo, C. Liu, G. Wang, X. Yan, B. Xu, W. Chen and M. Kraft 601
Performance of Nd:YLF laser by using $La_3Ga_5SiO_{14}$ crystal electrooptic Q-switch
S.j. Zhang, Q. Wang, Z. Tian, X. Yin, H. Zhang, Y. Li and S. Li 608
High-power continuous-wave operation of a diode-pumped Nd:$GdVO_4$ laser at 1.34 μm
J. He, J. Yang and J. Liu 612
An analytical approach to the design of electrodes in high-power, fast-transverse-flow CO_2 lasers
M.G. González, I.J. Rios, V. D'Accurso, G.D. Santiago and C.A. Rosito 615
An opto-electrical method for measuring the gap of LCD glass plates
J. Cho, C.-S. Lin, B.J. Jan, C.-H. Lin and N.-C. Chang 623
Improving the appearance of all textile products from clothing to home textile using laser technology
Z. Ondogan, O. Pamuk, E.N. Ondogan and A. Ozguney 631
Simultaneous dual-wavelength lasing of an erbium-doped fibre laser over wide spectrum range by intracavity loss optimisation
F. Abdullah, A.S.M. Noor, M.A. Mahdi, M.Z. Jamaludin, K. Dimyati and M.K. Abdullah 638
Using diffractive optical element and Zygo interferometer to test large-aperture convex surface
H. Liu, Z. Lu and F. Li 642
Gas protection optimization during Nd:YAG laser welding
D. Grevey, P. Sallamand, E. Cicala and S. Ignat 647

Index to Volume 37 (2005) I
Author Index IV
Keyword Index VI

Author Index

Abbas, B., 117
Abd El-Rahman, K.F., 513
Abdel-Aty, A., 363
Abdullah, F., 638
Abdullah, M.K., 387, 638
Abu-Taha, M.I., 498
Abutabeech, A.H., 498
Acharya, Y.B., 547
Al-Hazmy, S.M., 245
Al-Mansoori, M.H., 387
Alam, M.S., 251
Ali, B.M., 387
Ali, S.A., 251
Alsous, M.B., 157
Andrushchak, A.S., 319
Asundi, A., 131, 458
Azim, S.A., 245

Bhargava, P., 329
Bi, Y., 163
Bird, D., 494
Biswas, D.J., 1
Biswas, P.K., 369
Bobitski, Ya.V., 319
Boonsopa, S., 199
Bulut, K., 463

Cai, Y., 483
Cao, Z., 225
Caulfield, H.J., 345
Celebi, F.V., 281
Celikel, O., 420
Chai, L., 475
Chan, H.P., 259
Chang, C.C., 591
Chang, H.C., 591
Chang, N.-C., 623
Chatterjee, S., 43
Chaudhuri, P.R., 61
Chen, J., 211
Chen, L., 187
Chen, P.H., 271
Chen, R.T., 29, 551
Chen, W., 601
Chen, Y.-T., 271
Cheng, C., 293
Cheng, X., 416
Cheung, E., 9
Cho, J., 623
Choi, D.W., 449
Choi, H., 229
Chow, Y.T., 259
Chu, P.L., 259
Chu, X., 470
Chuai, X., 410
Cicala, E., 647
Clegg, W., 21
Crafer, R.C., 99
Cui, Z.-C., 337

D'Accurso, V., 615
Dai, Y., 541
Danisman, K., 281
Darwish, A.A.A., 513
Das, S., 369
Deng, X., 3
Dimyati, K., 638
Dong, J., 597
Dong, W., 601
Du Bosq, T.W., 87
Du, G., 55
Du, J., 55
Duan, K., 193
Duan, Z., 305
Durak, M., 420

E, S.-L., 337
Ebeid, E.M., 245
El Hafidi, I., 503
El-Daly, S.A., 245
EL-Dessouky, H.M., 532
EL-Farahaty, K.A., 532
EL-Morsy, M.A.M., 532
El-Nahass, M.M., 513
El-Nicklawy, M.M., 363
El-Zaiat, S.Y., 181
Elouad, L., 503

Fang, Y., 211
Farag, A.M., 513
Feng, G., 211
Fredricksen, C.J., 87
Fu, L., 494
Fuhrberg, P., 570
Fyath, R.S., 251

Gan, X., 494
Ghani, B.A., 117
Ghatak, A.K., 61
Gong, S., 541
González, M.G., 615
Grevey, D., 647
Grossman, B.G., 199, 217
Grzymala, R., 503
Gu, J., 173, 299
Gu, L., 551
Gu, M., 494
Gubencu, D., 577
Guo, W., 601
Guo, Z., 490
Gupta, P.D., 369
Gupta, P.K., 157

Habib, K., 509
Hammadi, M., 117
Hamza, A.A., 532
Han, A., 577
Han, C.-S., 229
Hane, K., 147
Hang Lee, E., 125
Hao, J., 225
Hao, Q., 375
Hassan, A.F., 363
He, J., 612
Hee, C.W., 93
Hirano, I., 81
Ho, K.C., 33
Hoan O, B., 125
Hou, A., 410
Howley, B., 29
Hsiao, Y.C., 33
Hsieh, H.-S., 402
Hu, C., 163
Hu, G., 3
Hu, J., 490
Hua, M., 9
Huang, K.L., 591
Huang, S., 305

Ignat, S., 647
Inci, M.N., 463
Ito, N., 81
Ittoop, M.O., 329

Jamaludin, M.Z., 638
Jan, B.J., 623
Jian, L.-H., 582
Jiang, Y., 29
Jiang, Z., 527, 541
Jin, G.-C., 582
Joshi, A.S., 369

Kaidan, M.V., 319
Kaivola, M., 590
Kapulainen, M., 590
Ke, C., 239
Kiefer, R., 503
Kim, J., 139
Kityk, A.V., 319
Kong, J., 51
Kong, L., 597
Kong, Y., 163
Kraft, M., 601
Küçükoğlu, M., 420
Kumar, A., 1
Kumar, D., 397
Kumar, H., 348
Kuruvilla, A., 157

Lai, J., 239
Lan, L., 211
Lang, L.-Y., 475
Lee, S.G., 125
Lee, Y.-W., 229
Legrouz, A.A., 498
Li, A., 527
Li, C., 524
Li, D., 55, 211, 391, 524
Li, F., 642
Li, G., 187, 381
Li, L., 287, 478
Li, M., 454
Li, N.H., 438
Li, P., 524
Li, Q., 357
Li, R., 163
Li, S., 608
Li, S.-X., 475
Li, X.F., 438
Li, Y., 147, 608
Li, Z., 391
Lian, J., 416
Liang, W.L., 93
Liao, Y.B., 454
Lim, C.W., 449
Lim, L.E.N., 93
Lin, C.-H., 623
Lin, C.-S., 623
Lin, J., 402, 563
Lin, Q., 483

Lin, S.-L., 563
Lin, X., 211
Lindfors, K., 590
Liu, B., 21
Liu, C., 601
Liu, H., 410, 642
Liu, J., 287, 478, 551, 612
Liu, S., 560
Liu, X., 21
Liu, X.S., 55
Lou, Q., 597
Lü, B., 193, 265
Lu, C., 61
Lu, Z., 642
Luo, B., 438
Lv, Y., 560

Ma, C., 527
Ma, C.-S., 337
Ma, D., 438
Ma, J., 69
Ma, K.-J., 271
Mackwood, A.P., 99
Mahdi, M.A., 387, 638
Mao, F.-L., 475
Mao, H., 173, 299
Mei, Z., 173, 299
Meng, X.L., 51
Meyrueis, P., 503
Mukhopadhyay, P.K., 157
Müller, R., 570
Muñoz-Rodríguez, J.A., 131
Muravjov, A.V., 87
Mytsyk, B.G., 319

Na, S.J., 139
Nagib, N.N., 151
Nath, A.K., 329, 348
Nathan, T.P.S., 157
Nelson, E.W., 87
Ng, S.P., 51
Ngo, N.Q., 427
Ngoi, B.K.A., 93
Nilaya, J.P., 1
Noor, A.S.M., 638

Ondogan, E.N., 631
Ondogan, Z., 631
Ozguney, A., 631

Pal, B.P., 61
Pamuk, O., 631
Pan, L.K., 33
Pan, W., 438
Pan, Y., 3
Pareek, R., 369
Park, T.-J., 229
Paul, C.P., 329
Peale, R.E., 87
Peng, B.-J., 555
Pillon, G., 577
Pun, E.Y.B., 427

Qian, K., 458
Qin, L.J., 51
Qiu, L., 225

Ranganathan, K., 157
Rao, B.T., 348
Reghu, T., 329
Ren, Q., 259
Rios, I.J., 615
Rodriguez-Vera, R., 131
Rosito, C.A., 615
Ryytty, P., 590

Sallamand, P., 647
Salman, S.M.M., 363
Samadov, F., 420
Santiago, G.D., 615
Sasaki, M., 147
Schranz, W., 319
Shan, C., 3
Sharma, S.K., 157
Sharma, V.K., 397
Sheikh-Khalil, M., 117
Shen, P., 490
Shen, Q., 225
Shen, Y., 225
Shen, Y.Q., 427
Shi, C.Z., 454
Shi, X., 9
Shi, Y., 305
Shi, Z., 29, 551
Sohn, S.H., 449
Sokkar, T.Z.N., 532
Sokol, M., 199, 217
Song, S., 432
Song, X., 265
Soon, S.H., 458
Subramanian, G., 87
Sun, D., 601
Sun, D.-G., 337
Sun, W., 55, 527
Sun, Z., 163
Sundaram, K.B., 87

Tan, R., 560
Tang, D.Y., 51
Tang, L.C., 591
Teichmann, H.-O., 570
Tian, Z., 608
Tripathi, K.N., 397
Tseng, A.A., 271

Venkatakrishnan, K., 93
Viöl, W., 570

Walters, D.A., 87
Wan, C., 560
Wang, C.C., 33
Wang, F., 527
Wang, G., 163, 601
Wang, H., 490
Wang, J.C., 591
Wang, K., 475
Wang, L., 3
Wang, Q., 69, 416, 608
Wang, Q.-Y., 475
Wang, X., 167
Wang, X.-Y., 337
Wang, Y., 375, 416, 438
Wang, Y.-N., 432
Wang, Z., 357, 475
Wei, A., 416
Wei, L., 432
Wei, Y., 597
Wen, S., 305
Wong, W.H., 427
Wu, P., 265

Xia, J., 125
Xia, S., 391
Xiao, H.-C., 444
Xiao, P., 225
Xiao, T., 391
Xie, J., 305
Xing, Q.-R., 475
Xu, B., 601
Xu, W., 582
Xu, Y.-Z., 337
Xu, Z., 163, 239, 293
Xue, D., 597

Yan, X., 337, 601
Yang, C.-C., 235
Yang, H., 55, 259
Yang, J., 555, 612
Yang, K., 187, 381
Yang, S., 313
Yang, S.-Y., 555
Yang, Y., 225
Yao, X.-F., 582
Yeh, H.-Y., 582
Yi, M., 55, 410
Yi, X., 239
Yin, X., 608
Yongphiphatwong, T., 217
Young, W.K., 591
Yu, Y., 560
Yuan, W., 9, 225

Zeng, N., 454
Zhang, D., 410, 527
Zhang, D.-M., 337
Zhang, G., 259
Zhang, H., 163, 410, 608
Zhang, H.-M., 337
Zhang, J., 3
Zhang, L., 187, 524
Zhang, M., 454
Zhang, Q., 524
Zhang, R., 69, 416
Zhang, S.j., 608
Zhang, W., 69
Zhang, X., 167
Zhang, Y., 77
Zhang, Y.-J., 444
Zhang, Z., 69, 524
Zhao, C., 560
Zhao, D., 173, 299
Zhao, F., 551
Zhao, H., 69, 187, 381
Zhao, L., 470
Zhao, L.M., 51
Zhao, S., 187, 381
Zhao, Y., 391, 555
Zhao, Y.X., 427
Zhao, Yu., 527
Zheng, C., 77
Zheng, C.-W., 444
Zheng, Y., 357
Zhou, G., 470
Zhou, J., 427, 560, 597
Zhu, C., 69
Zhu, Q., 375
Zuo, T., 357

Keyword Index

1.34 μm laser, 612
2 μm Cr, 570
3-(benzothiazol-2-yl)-7-hydroxycoumarin, 245
3-D reconstruction, 131

Ablation rate, 271
Ablation, 271
Absorption spectra, 416
Actively Q-switched, 381
Actuating voltage, 601
Adaptive gain, 139
Adaptive simulated annealing, 454
Alignment, 1
Alpha parameter, 281
Angle measurement, 555
Angular dispersion, 69
Aperture, 299
Apparel, 631
Arrayed microstructure, 271
Arrayed waveguide grating, 527
Artificial neural networks, 281
Aspheric optics testing, 391
Aspheric surface, 375
Astigmatism, 313
Attenuated total reflection, 225
Attenuation coefficient, 420
Automatic alignment, 147
Axial intensity distribution, 77

β-BaB_2O_4 crystals, 319
Beam overlapping, 313
Bending, 199
Bifurcation diagram, 438
Biophotonics, 503
Birefringence, 416
Brillouin Stokes, 387
Buckling mechanism, 402

CAD, 631
CAM, 631
Cavity loss, 638
Ce-doped SBN, 416
Centroid calculation method, 623
Centroid detection, 541
Chaos, 438
Chemiluminescence, 293
Chirping, 55
Chromatic dispersion coefficient, 167
Chromatic dispersion slope, 167
CO_2 laser, 293, 329
Coaxial laser cladding, 287
Combined path shear stress difference, 582
Complex refractive index, 397
Convex surface, 642
Correction algorithm, 305
Cr^{4+} : YAG, 157
Cross-section profile, 478
Crosstalk, 337
Cut-back, 420

Data storage, 503
DC discharge model, 615
DC excitation, 329
Debris, 271
Defocused spherical surface, 375
Denim design, 631
DFB laser diode, 55
Diffraction, 503
Diffraction at a small rectangular aperture, 193
Diffraction integral, 173
Diffractive optical element, 642
Diffusers, 345
Diode pump, 612
Diode-end-pumped, 51
Diode-pumped, 524
Discrete time Kalman filter, 229
Dispersion, 181
Displacement measurement interferometer, 229
Distributed Bragg reflector, 125
Distributed sensing, 454
Double AO Q-switch, 357
Double-clad fiber, 3
Drawing, 532
Drilling, 348
Dual wavelength, 638
Dye absorption, 199

Electro-absorption modulator, 55
Electro-optic modulator, 225
Electro-optic Q-switch, 608
Electrode system, 615
Electrostatic actuated, 601
Encircled-power criterion, 299
Excimer laser, 271

Faded denim, 631
Fast transversal flow laser, 615
Feedback control, 139
Femtosecond laser pulses, 475
Femtosecond OPO, 69
Femtosecond pulsed laser, 93
Fiber Bragg grating, 454, 555
Fiber optic, 199
Fiber-optic sensor, 555
Fibre coupler, 494
Fibre lasers, 3, 387, 638
Finite difference, 61
Fizeau interferometer, 43
Flashlamp and diode pumped solid state laser, 570
Flow fields, 563
Flying height, 21
Focal shift, 299
Four-beamlets laser array, 483
Four-core fibre, 463
Four-operand, 251
Fourier phase shift method, 623
Fourier transform profilometry, 463
Frequency doubling, 524
Fresnel zone plate, 77
Fringe analysis, 463
Fringe pattern analysis, 532
Fringe-resolved SHG, 55

GaAs saturable absorber, 187
Galvanometric scanning, 305
Gas composition, 293
Gas emission, 498
Gaussian spatial distribution, 381
GDD, 69
Germanium, 87
Glass, 271
Glazing, 348
Grating, 1
Grating tunning, 560
Group refractive index, 181
Guided mode, 225

Harr function, 235
Hartmann wavefront sensor, 541
Hermite-cosh-Gaussian beams, 173
High average power, 560
High temperatures, 509
High-peak power, 357
Holograms, 345
Holographic gratings, 551
Holography, 449
Holography recording materials, 449
Hu moments, 131

Image distortion, 305
Image enhancement, 235
Improved Rayleigh–Sommerfeld formula, 77
In-plan displacement, 509
Independent variables, 577
Injection-locking, 81
Inserted loss, 337
Integrated optics, 397
Integration, 239
Intensity modulation, 498
Interferogram, 642
Interferometry, 319
Intracavity second harmonic, 157
IR-CCD, 239

$La_3Ga_5SiO_{14}$ crystal, 608
Laser, 87
Laser beam design, 631
Laser cladding, 478
Laser cleaning, 9
Laser cutting, 348
Laser deflectometry, 375
Laser diode, 81
Laser dyes, 245
Laser forming, 139
Laser processing, 577
Laser rods, 369
Laser supersonic heating, 563
Laser tube forming, 402
Laser welding, 99, 647
Laser-diode-pumped, 381
Lasers (He–Ne), 498
LD-pump, 187
Least squares fitting, 181
Levenberg–Marquardt, 281
Lifetime, 245
Light line projection, 131
Line energy, 139
Linear cavity, 3
Literature review, 99
Local stress, 582
Long trace profiler, 391
Long wavelength, 125
Longitudinal distribution along the cavity axis, 381
Low-power laser, 478

Magnesium alloy, 33
Matrix factorization, 265
Measurement, 642
Mechanism of multi-track and concentricity, 623
Medium effect, 245
Metal particles, 563
Mica, 181
Micro-particle contamination, 9
Microbend fiberoptic sensor, 217
Microlens array, 239
Micromachining, 271
Microneedle, 271
Microring resonance, 337
Misaligned optical systems, 173
Mode calculation, 61
Mode converter, 265
Mode-locking, 157
Model, 478
Modeling, 117
Modelling, 99
MOEMS, 601
Monte-Carlo simulation, 541
Morphology, 271
Multicore fibre, 463
Multilayer dielectric mirror, 211
Multipass amplifier, 313
Multiphase level Fresnel zone plate, 444
Multiple-beam interferometry, 532
Multiwavelength laser source, 387

Nano-crystal, 259
Nd-glass laser, 117
Nd:$GdVO_4$, 612
Nd:$GdVO_4$ laser, 51
Nd:NYW crystal, 187
Nd:YAG laser, 9, 33, 163
Nd:YAG pulse laser, 357
Nd:YLF laser, 608
Nd:YVO_4, 157
Necking deformation, 532
Ni–Al Powder alloys, 490
Noise filtering, 458
Nonlinear absorption, 432
Nonlinear dynamics, 438
Nonparaxial propagation equation, 193
Nonparaxial vectorial moment, 470

Objective functions, 577
Off-axial Hermite-cosh-Gaussian beams, 299
Optical activity, 608
Optical aperture, 147
Optical bistability, 432
Optical constants, 259
Optical enlarged unwrapping technology, 582
Optical feedback, 438
Optical fiber, 25
Optical injection, 438
Optical interferometry, 458, 509
Optical responsivity, 239
Optical waveguide, 61
Optical waveguide polarizer, 397
Optoelectronic, 591
Organic coating, 509
Overlapping pattern, 251

Parabolic mirror, 313
Parallel optical computing, 251
Paraxial optical system, 483
Passive Q-switch, 187
Passively Q-switched, 157
Pattern recognition, 131
Pendulum-type clinometer, 555
Perturbation correction, 61
pH sensor, 199
Phase shifting photoelasticity, 582
Phase unwrapping, 43, 458
Phase-shifting interferometry, 43
Phased array antenna, 29
Photo-gate, 591
Piezo-optic and photoelastic constants, 319
Polarisation interferometry, 21
Polarisation preservation, 494
Polarization, 93
Polarization-dependent loss, 427
Polyimide, 271
Polymer bead, 217
Polymer, 225, 337, 427, 527
Polymer external electro-optic probe tip, 410
Polypropylene fibres, 532
Powder concentration distribution, 287
Pressure sensors, 647
Prism array, 591
Propagation, 470, 483
Propagation loss, 427
Properties and microstructure, 490

Quantum-well, 281
Quarter-wave, 211

Rate equations, 381
Reactive laser sintering, 490
Real-time estimation, 229
Reciprocal symmetrical matrix, 265
Rectangular aperture, 173
Red laser, 524
Refractive index, 532
Refractive index determination, 21
Relative aperture width, 193
Relative intensity noise (RIN), 438
Resolution, 444
Retardance measurements, 151
Ring laser, 1
Ring resonator, 432

Salinity, 217
Satellite communication, 551
Saturable absorber, 117
Scalar angular spectrum, 444
Screen, 345
Second harmonic generation microscopy, 494
Self-propagating, 490
Shadow-casting, 251
Shearography, 509
Shielding gas, 647
Side-pumped lasers, 163
Silicon, 271
Simulation, 99
Single mode (SM) fiber, 420
Slant lower electrode, 601
SMA positioning actuator, 147
Solid immersion lens, 444
Solid-state lasers, 163
Sol–gel AR coatings, 369
Spalling, 348
Spatial chirp, 69
Spatial resolution, 410
Speckle, 345
Spectral tailor, 597
Spectrum, 81
Spin coater, 369
Stimulated Brillouin scattering, 387
Super-large surface metrology, 391
Super-smooth substrate surface, 9
Superadditivity, 449
Superfluorescent source, 597
Surface figure, 43
Surface relief grating, 93
Surface treatment, 99
Switching time, 601
Synthetically generated reference circle, 375
Systemic study, 577

Taguchi analysis, 33
Targeting system, 591
TEA CO_2 laser, 560
Tension, 33
Terahertz, 87
Thermal conductivity, 293
Thermal lens effect, 51
Thermal stress, 509
Thin-wall parts, 287
Third-order nonlinearities, 475
THz radiation, 475
Ti:sapphire crystal, 313
Tilt sensor, 555
Titration, 293
TM polarized Gaussian beam, 470
Tm:YAG laser, 570
TOD, 69
Torsion beam, 601
Transmission spectra, 416
Transmission spectrum, 337
Transmitted spectrum, 259
Transverse flow, 329
Triple-clad single-mode fiber, 167
True time delay, 29

VCSEL, 438
Vectorial Rayleigh diffraction integrals, 193
Vertical-cavity surface-emitting laser, 125
Vibration modulation, 498
Visibility, 235
Voltage sensitivity, 410

Water, 181
Waveguide, 427
Wavelength division multiplexing, 527, 551
Wavelength multiplexer, 337
Wedge phase shifter, 43
Weighting factor, 211
Welding, 99
White light interference, 181
Wide tuning range, 638
Windowed Fourier transform, 458

Yb-doped double-clad fiber, 597

z-Scan, 475
Zero-dispersion wavelength, 167